

Information Governance

Robert Dolan House 9 Alie Street London E1 8DE

16 February 2023

Email <u>elft.foi@nhs.net</u> **Website:** https://www.elft.nhs.uk

Chief Executive: Paul Calaminus

Chair: Eileen Taylor

mipo..., www.onamioran

Our reference: FOI DA4584

I am responding to your request for information received 10 February 2023. This has been treated as a request under the Freedom of Information Act 2000.

I am now enclosing a response which is attached to the end of this letter. Please do not hesitate to contact me on the contact details above if you have any further queries.

Yours sincerely,

Keshia Harvey

Information Governance Manager

Harvey

If you are dissatisfied with the Trust's response to your FOIA request then you should contact us and we will arrange for an internal review of this decision.

If you remain dissatisfied with the decision following our response to your complaint, you may write to the Information Commissioner for a decision under Section 50 of the Freedom of Information Act 2000. The Information Commissioner can be contacted at:

Information Commissioner's Office Wycliffe House Water Lane Wilmslow Cheshire SK9 5AF

Tel: 0303 123 1113 Web: <u>www.ico.org.uk</u>

Please note that the data supplied is not allowed to be re-used and/or published without the explicit consent of East London NHS Foundation Trust. Please contact the signatory to request permission if this is your intention

Request:

In our interests of understanding and supporting NHS Trusts in relation to their Electronic Patient Record / Electronic Health Record systems, we are currently updating our records.

System definition: Electronic Patient Record (EPR) – An electronic patient / health record is a digital version of a patient's paper chart.

To support with this can you please complete the below fields with your Trust's current information:

Question 1: System type - EPR

Answer: The Trust has reviewed question 1 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:

(1)Information which is reasonably accessible to the applicant otherwise than

under section 1 is exempt information.

The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2023-02/ANON%20Response%20-

%20FOI%20DA4020.pdf

Question 2: Current EPR / EHR supplier name:

Answer: The Trust has reviewed question 2 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:

(1)Information which is reasonably accessible to the applicant otherwise than

under section 1 is exempt information.

The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2023-02/ANON%20Response%20-

%20FOI%20DA4020.pdf

Question 3: Current EPR / EHR system name:

Answer: The Trust has reviewed question 3 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:

(1)Information which is reasonably accessible to the applicant otherwise than

under section 1 is exempt information.

The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2023-02/ANON%20Response%20-


%20FOI%20DA4020.pdf

Question 4: Date Current EPR / EHR system installed:

Answer: The Trust has reviewed question 4 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:



Chief Executive: Paul Calaminus **Chair**: Eileen Taylor

(1)Information which is reasonably accessible to the applicant otherwise than under section 1 is exempt information.

The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2022-01/anon_response - foi_da3911.pdf

Question 5: Current EPR / EHR system's contract expiration:

Answer: The Trust has reviewed question 5 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:

(1)Information which is reasonably accessible to the applicant otherwise than

under section 1 is exempt information.

The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2023-02/ANON%20Response%20-

%20FOI%20DA4020.pdf

Question 6: Is this contract annually renewed? - Yes / No

Answer: The Trust has reviewed question 6 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:

(1)Information which is reasonably accessible to the applicant otherwise than

under section 1 is exempt information.

The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2022-01/anon_response_-

foi_da3911.pdf

Question 7: Do you currently have plans to replace this EPR system? - Yes / No

Answer: The Trust has reviewed question 7 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:

(1)Information which is reasonably accessible to the applicant otherwise than

under section 1 is exempt information.

The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2022-01/anon_response_-

foi da3911.pdf

Question 8: Are you currently out to tender to replace this EPR system? - Yes / No

Answer: The Trust has reviewed question 8 of your request for information under the

Freedom of Information Act (FOI) 2000.

Section 21(1) of the FOI Act states:

(1)Information which is reasonably accessible to the applicant otherwise than

under section 1 is exempt information.



Chief Executive: Paul Calaminus Chair: Eileen Taylor The information requested is accessible here:

https://www.elft.nhs.uk/sites/default/files/2022-01/anon_response_foi da3911.pdf

Question 9: If you have recently awarded a new EPR / EHR replacement supplier and system, what is the new supplier and system and when is the current planned go-live date please:

Not applicable. Answer:

Question 10: Is your current or future EPR contract in a joint-partnership with any other NHS Trust? If yes, which Trust(s):

Answer: Not applicable.

Chief Executive: Paul Calaminus

Chair: Eileen Taylor